


1M42,AUS=237 N Handle rose screws invisible

Door fittings

Escutcheons



The IKON construction and internal door fittings range covers a broad spectrum of applications and utilisation options. The range encompasses fittings, backplates, roses, escutcheons, handles and knobs for doors and windows. IKON also provides a large selection of premium-quality fittings for metal and UPVC frame doors. For example, the shortened 290/30 metal handle with retraction spring on a rose with concealed screws. The 474 handle on a rose is distinguished by its shortened U-shape, which provides the hand with particularly good hold.


Area of Application

IKON aluminium escutcheons can be used for a variety of applications. Round, oval and squared escutcheons are utilised, either as dummy versions prepared for profile cylinders or handle roses accepting the door handle.


ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions

1M42,AUS=237 N Handle rose screws invisible



Product description

- Suitable for all conventional handles and knobs
- Plastic insert with covering cap (clip rose), concealed screws with cams
- Rose diameter 50mm
- Distance between fixing holes 38mm
- Screw hole diameter 5mm
- Rose thickness 7mm
- Standard finish nickel silver (FB=F2)
- Other colours: silver (FB=F1) gold (FB=F3)
- Material: aluminium
- Round

Compatible ASSA ABLOY products

- Knob 307 on oval rose 10 1M27,AUS=10
- Knob 307 on square-edged rose 11 1M27,AUS=11
- Knob handle (female part) 307 L 1M27,AUS=LOCHTEIL
- Knob handle 307 1M27,AUS=PAAR
- Knob 307 on round rose 1M27,AUS=ROS RUND
- Knob 306 on oval rose 10 1M26,AUS=10
- Knob 306 on square-edged rose 11 1M26,AUS=11
- Knob handle (female part) 306 L 1M26,AUS=LOCHTEIL
- Knob handle 306 1M26,AUS=PAAR
- Knob 306 on round rose 1M26,AUS=ROS RUND
- Door handle (female part) 410 L 1M11,AUS=LOCHTEIL
- Door handle 410 1M11,AUS=PAAR
- Door handle (female part) 435 1M12,AUS=LOCHTEIL
- Door handle 435 1M12,AUS=PAAR

Scope of delivery

- 1 Pair of handle roses with integrated handle guide ring and fixing material



1M42,AUS=237 N Handle rose screws invisible

Article-No.	FB=
1M42 44376	F2
1M42 44375	F1
1M42 44377	F3

ASSA ABLOY
Sicherheitstechnik GmbH
Goerzallee 299
14167 Berlin
berlin@assaabloy.de
Tel. +4930 8106-0
Fax +4930 8106-26 00
www.assaabloy.de



ASSA ABLOY, the global leader
in door opening solutions