

1M43,AUS=221 Square-edged blank rose

Door fittings

Escutcheons



The IKON construction and internal door fittings range covers a broad spectrum of applications and utilisation options. The range encompasses fittings, backplates, roses, escutcheons, handles and knobs for doors and windows. IKON also provides a large selection of premium-quality fittings for metal and UPVC frame doors. For example, the shortened 290/30 metal handle with retraction spring on a rose with concealed screws. The 474 handle on a rose is distinguished by its shortened U-shape, which provides the hand with particularly good hold.


Area of Application

IKON aluminium escutcheons can be used for a variety of applications. Round, oval and squared escutcheons are utilised, either as dummy versions prepared for profile cylinders or handle roses accepting the door handle.


ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions

1M43,AUS=221 Square-edged blank rose



Product description

- Rose dimensions 65x27mm
- With 2 fixing holes
- Distance between fixing holes 50mm
- Screw hole diameter 5mm
- Rose thickness 7mm
- Standard finish nickel silver (FB=F2)
- Alternative colours: silver (FB=F1) gold (FB=F3), Meta Colour 1003 coated (FB=MC), white RAL 9016 coated (FB=WS)
- Material: aluminium
- Square-edged shape

Scope of delivery

- 1 Blank rose without fixing material



1M43,AUS=221 Square- edged blank rose

Article-No.	FB=
1M43 44395	F2
1M43 44394	F1

ASSA ABLOY
Sicherheitstechnik GmbH
Goerzallee 299
14167 Berlin
berlin@assaabloy.de
Tel. +4930 8106-0
Fax +4930 8106-26 00
www.assaabloy.de



ASSA ABLOY, the global leader
in door opening solutions