# 1M44,AUS=232 Key escutcheon oval design

**Door fittings** 

Escutcheons




The IKON construction and internal door fittings range covers a broad spectrum of applications and utilisation options. The range encompasses fittings, backplates, roses, escutcheons, handles and knobs for doors and windows. IKON also provides a large selection of premium-quality fittings for metal and UPVC frame doors. For example, the shortened 290/30 metal handle with retraction spring on an rose with concealed screws. The 474 handle on a rose is distinguished by its shortened U-shape, which provides the hand with particularly good hold.

### **Area of Application**

IKON aluminium escutcheons can be used for a variety of applications. Round, oval and squared escutcheons are utilised, either as dummy versions prepared for profile cylinders or handle roses accepting the door handle.



# 1M44,AUS=232 Key escutcheon oval design



## **Product description**

- Escutcheon dimensions 65x27mm
- With 2 fixing holes
- Distance between fixing holes 50mm
- Screw hole diameter 5mm
- Escutcheon thickness 7mm
- Standard version prepared for profile cylinder (VAR=PZ)
- Standard finish nickel silver (FB=F2)
- Material: aluminium
- Oval
- Other versions: prepared for tumbler key (VAR=BB)
- Alternative colours: silver (FB=F1) gold (FB=F3), Meta Colour 1003 coated (FB=MC), white RAL 9016 coated (FB=WS)

### **Compatible ASSA ABLOY products**

- Double cylinder .551
- Double cylinder .531

### Scope of delivery

■ 1 Key escutcheon without fixing material



# 1M44,AUS=232 Key escutcheon oval design

Article-No.	FB=	VAR=
1M44 44420	F2	PZ
1M44 44425	F2	BB
1M44 44419	F1	PZ
1M44 44424	F1	BB

