

2059 Universal locking lever cylinder - System MK5

19mm diameter, laterally flattened to 16mm

Mechanical locking cylinders

Locking lever cylinder



Locking cylinders form the core element of secure locking systems and represent IKON's core competency. The product range meets challenging security requirements with sophisticated solutions. High-quality IKON locking cylinders provide high protection against intruders. Standard equipment in this respect includes anti-drilling devices, security cards and panic functions. Patented profiles are a direct result of decades of experience gained in precision engineering and are effectively equipped against even the latest intrusion or burglary techniques. These features include innovative VECTOR profiles and the IKON reversible key profile WSW-W10.

Area of Application


Locking lever cylinders are mainly used for letterboxes, vending machines, control cabinets, haunch flaps, wardrobe lockers or security lockers. IKON supplies locking lever variants to suit different areas of application.

IKON
ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions

2059 Universal locking lever cylinder - System MK5

19mm diameter, laterally flattened to 16mm



Product description

- 5 pin tumblers
- Brass cylinder
- Standard polished nickel-plated surface diamond-polished front surface (OF=PV)
- Available with drilling protection (AB=1) or without drilling protection
- Keyed alike with other items on request
- Available for stand-alone locks
- Locking system equipment not possible
- Without locking lever
- Locking path and locking lever path 90°
- Key withdrawal when locking lever is closed
- Key with round metal head
- Fixing with housing nut M19 x 1
- Locking direction of locking lever must be specified when ordering

Compatible ASSA ABLOY products

- Maintenance spray 8511

Scope of delivery

- 1 locking lever cylinder
- 2 small nickel silver keys
- 1 housing nut M19 x 1

ZIKON
ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions

2059 Universal locking lever cylinder - System MK5

19mm diameter, laterally flattened to
16mm

Article-No.	AA=	AB=
2059	NML	0
	NML	1

ASSA ABLOY
Sicherheitstechnik GmbH
Goerzallee 299
14167 Berlin
berlin@assaabloy.de
Tel. +4930 8106-0
Fax +4930 8106-26 00
www.assaabloy.de



ASSA ABLOY, the global leader
in door opening solutions