

2103 Universal locking lever cylinder - System MK5

Mechanical locking cylinders

Locking lever cylinder

21mm diameter, laterally flattened to 17.6mm



Locking cylinders form the core element of secure locking systems and represent IKON's core competency. The product range meets challenging security requirements with sophisticated solutions. High-quality IKON locking cylinders provide high protection against intruders. Standard equipment in this respect includes anti-drilling devices, security cards and panic functions. Patented profiles are a direct result of decades of experience gained in precision engineering and are effectively equipped against even the latest intrusion or burglary techniques. These features include innovative VECTOR profiles and the IKON reversible key profile WSW-W10.

Area of Application


Locking lever cylinders are mainly used for letterboxes, vending machines, control cabinets, haunch flaps, wardrobe lockers or security lockers. IKON supplies locking lever variants to suit different areas of application.

ZIKON
ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions

2103 Universal locking lever cylinder - System MK5

21mm diameter, laterally flattened to 17.6mm



Product description

- 5 pin tumblers
- Brass cylinder
- Standard polished nickel-plated surface diamond-polished front surface (OF=PV)
- Drilling protection class 1 (AB=1) standard
- Locking path and locking lever path 90° left or right
- Key withdrawal when locking lever is closed
- Locking lever can be adjusted to 90° or 180°, depending on version
- Standard locking lever (SLHB=2645014)
- Fixing with housing nut M21 x 0.75
- Other lever connections, for example, 7x7 on request
- Can only be combined with MK5 system cylinders
- Available for type H locking systems (AA=H)
- Available for individual locking with standard locking (AA=NML), without security card
- Key with round metal head

Accessories/Individual parts

- Fixing plate 1900,VAR=0160504
- Disk 1904,VAR=0260502

Compatible ASSA ABLOY products

- Maintenance spray 8511

Scope of delivery

- 1 locking lever cylinder
- 1 locking lever enlosed but not fixed (AUS=LOSE) or 1 locking lever fixed (AUS=MONT)
- 2 small nickel silver keys
- 1 housing nut M21 x 0.75



ASSA ABLOY, the global leader
in door opening solutions

2103 Universal locking lever cylinder - System MK5

21mm diameter, laterally flattened to
17.6mm

Article-No.	AA=	AUS=
2103	NML	LOSE
	H	LOSE
	NML	MONT

ASSA ABLOY
Sicherheitstechnik GmbH
Goerzallee 299
14167 Berlin
berlin@assaabloy.de
Tel. +4930 8106-0
Fax +4930 8106-26 00
www.assaabloy.de



ASSA ABLOY, the global leader
in door opening solutions