3044 Security lock with cross profile

Locks and locking systems with cross profile

Security locks with cross profile

6-pin cross profile security lock



As variants of IKON pin cylinder systems, cross profiles provide security in the smallest of spaces. Rows of pins on three corresponding sides with minimal installation dimensions provide effective protection against manipulation. Cross profile locks are also available on request with a special paracentric profile. Suitable keys for concealed installation are available in different lengths from IKON.


Area of Application

Application examples for IKON cross profile security locks are central units of alarm systems, metal lockers and cabinets, IT systems, cash boxes, contact switches, measuring and recording instruments, glass display cases or safes. Each existing tumbler or Chubb lock is transformed into a high-quality security lock by the cross profile lock. Locks with a keyway radius of 18.5mm or 16.5mm and a height of 8, 10, 12mm (with 6 tumblers) or 14 or 16mm (9 tumblers) are available for any conceivable type of lock.



3044 Security lock with cross profile

6-pin cross profile security lock



Product description

- Opens on right and left
- Lockable from both sides
- Available with keyed different or keyed alike
- Optionally available with drilling protection
- Locking path 360°
- Brass housing, steel locking lever
- Available as S9K profile with restricted locking with security card and optionally with drilling protection, S9M profile with restricted locking without security card
- Cross profile keys are available in different lengths (SSL=) from 70mm to 130mm

Accessories/Individual parts

■ Cross profile key blank S100,SYS=KR

Compatible ASSA ABLOY products

- Escutcheon for cross profile security locks 1292
- Maintenance spray 8511

Scope of delivery

- 1 security lock
- 2 cross profile keys, length 85mm (B)



3044 Security lock with cross profile

6-pin cross profile security lock

Article-No.	PR=
3044	S9M
	S9K

