


5050 External cylinder - system TK5

Mechanical locking cylinders

External cylinder



Locking cylinders form the core element of secure locking systems and represent IKON's core competency. The product range meets challenging security requirements with sophisticated solutions. High-quality IKON locking cylinders provide high protection against intruders. Standard equipment in this respect includes anti-drilling devices, security cards and panic functions. Patented profiles are a direct result of decades of experience gained in precision engineering and are effectively equipped against even the latest intrusion or burglary techniques. These features include innovative VECTOR profiles and the IKON reversible key profile WSW-W10.


Area of Application

External cylinders are used together with auxiliary locks (e.g. rim locks and multiple locking systems). This enables actuation of auxiliary locks from outside.

IKON
ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions

5050 External cylinder - system TK5



Product description

- 5 pin tumblers
- Brass cylinder
- Standard finish, satin nickel-plated (OF=MV)
- Other surfaces: brass, mat brushed (OF=MG), polished brass (OF=MP)
- Drilling protection (AB=), locking wave (SW=), additional lateral scanning, security card depending on profile (PR=)
- Key with round metal head
- Spherical cylinder core head with reinforced key guide
- Core pins made of special wear-resistant bronze
- Screwed into position with separate fixing plate and two M5 screws

Accessories/Individual parts

- Fixing screw 1439
- Connection rod 1152
- Shim ring 1156
- Fixing plate 1154

Compatible ASSA ABLOY products

- Escutcheon with rain protection cover 1254,AUS=2-7
- Maintenance spray 8511

Scope of delivery

- 1 external cylinder
- 1 shim ring
- 1 fixing plate
- 3 nickel silver keys
- 2 screws M5x30



5050 External cylinder - system TK5

Current profiles for individual locking

Profile (PR=)	Standard profile N2.	Locking wave profile 2PE
Profile version	61	54
With security card included	No	Yes
Drilling protection (AB=)	Stahlstifte und Stahlkugeln	2
Emergency device (GE=)	optional	BS
Locking wave (SW=)	-	1
VdS class	-	Class B+
RAL quality symbol	-	Yes
DIN class	-	Class 82
Modular system (GBK=)	-	-
Additional lateral pins	-	4
Factory-keyed profile/Client profile	Factory-keyed profile	Factory-keyed profile
Key head shape	Round	Round



ASSA ABLOY
Sicherheitstechnik GmbH
Goerzallee 299
14167 Berlin
berlin@assaabloy.de
Tel. +4930 8106-0
Fax +4930 8106-26 00
www.assaabloy.de

ASSA ABLOY, the global leader
in door opening solutions