

8453 Shim for lock case

Additional door locks and security devices

Cross bar and garage door locks

For different link models



Forcing of doors on the lock or hinge side is one of the most frequent intrusion methods. Important (and often underestimated) additional protection for doors is provided in particular by IKON cross bars and rod locks. They effectively secure the main entrance or apartment door and basement or garage doors and round off perfectly the IKON range of auxiliary locks.

Area of Application

This IKON Protector bar DRS provides security across the entire door width. The IKON Protector bar is generally used on apartment or house entrance doors offering additional security in conjunction with mortise locks, locking cylinders and security fittings. The Protector bar DRS can be rapidly mounted and adapted to suit all conventional door widths. Different door leaf widths are compensated for by an integrated adjusting mechanism. Additional vertical locking mechanisms can be optionally combined. The IKON Protector bar is designed for profile locking cylinders, enabling installation of the same locking mechanism as encountered on, for example, the main door lock.


ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions

8453 Shim for lock case

For different link models

Product description

- Available in different material thicknesses 1mm thick (ABM=1), 3mm thick (ABM=3), 5mm thick (ABM=5) and 10mm thick (ABM=10)
- Available in silver-grey (FB=SGR), brown (FB=BN), white (FB=WS)
- Material: plastic

Scope of delivery

- 6 shims



8453 Shim for lock case

For different link models

Article-No.	FB=	ABM=
8453 49456	SGR	1
8453 49457	SGR	3
8453 49458	SGR	5
8453 49459	SGR	10
8453 49460	WS	1
8453 49461	WS	3
8453 49462	WS	5
8453 49463	WS	10
8453 49464	BN	1
8453 49465	BN	3
8453 49466	BN	5
8453 49467	BN	10



ASSA ABLOY
Sicherheitstechnik GmbH
Goerzallee 299
14167 Berlin
berlin@assaabloy.de
Tel. +4930 8106-0
Fax +4930 8106-26 00
www.assaabloy.de

ASSA ABLOY, the global leader
in door opening solutions