


8459 Complete bolt for hinge side

Additional door locks and security devices

Cross bar and garage door locks



Forcing of doors on the lock or hinge side is one of the most frequent intrusion methods. Important (and often underestimated) additional protection for doors is provided in particular by IKON cross bars and rod locks. They effectively secure the main entrance or apartment door and basement or garage doors and round off perfectly the IKON range of auxiliary locks.

Area of Application

This IKON Protector bar DRS provides security across the entire door width. The IKON Protector bar is generally used on apartment or house entrance doors offering additional security in conjunction with mortise locks, locking cylinders and security fittings. The Protector bar DRS can be rapidly mounted and adapted to suit all conventional door widths. Different door leaf widths are compensated for by an integrated adjusting mechanism. Additional vertical locking mechanisms can be optionally combined. The IKON Protector bar is designed for profile locking cylinders, enabling installation of the same locking mechanism as encountered on, for example, the main door lock.


ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions

8459 Complete bolt for hinge side

Product description

- Available with vertical unit (AUS=M.VERTIKALEINHEIT) and without vertical unit (AUS=O.VERTIKALEINHEIT)
- Material: matt chrome-plated steel

Compatible ASSA ABLOY products

- Protector bar DRS 8443
- Protector bar DRS 8444
- Protector bar DRS 8446
- Protector bar DRS 8447
- Protector bar DRS 8448
- Protector bar DRS 8449

Scope of delivery

- 1 bolt



8459 Complete bolt for hinge side

Article-No.	AUS=
8459 49440	O.VERTIKALEINHEIT
8459 49441	M.VERTIKALEINHEIT

ASSA ABLOY
Sicherheitstechnik GmbH
Goerzallee 299
14167 Berlin
berlin@assaabloy.de
Tel. +4930 8106-0
Fax +4930 8106-26 00
www.assaabloy.de



ASSA ABLOY, the global leader
in door opening solutions