


9M09 Shim for Krallfix® 3

Additional door locks and security devices

Hinge safety mechanism



IKON provides a wide range of accessories and spare parts. Please note that the overall quality of IKON products can only be guaranteed if suitable original parts are used.

Area of Application

In over half of all break-ins doors and windows are forced open by the most basic means. The IKON claw range provides the best possible protection against forcing or breaking open and provides a secure seal: on the handle side, hinge side, in appealing design, in white, brown, silver, even lockable. Functions such as opening, closing and tilting are not affected. Handling and installation are simple.


ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions

9M09 Shim for Krallfix® 3

Product description

- For height compensation when mounting the IKON Krallfix® 4 window locking device in two different thicknesses
- Available in 2mm material thickness in white (TEIL=UNTERLEGPL 2MM WS) or brown (TEL=UNTERLEGPL 2MM BN)
- Available in 5mm material thickness in white (TEIL=UNTERLEGPL 5MM WS) or brown (TEL=UNTERLEGPL 5MM BN)
- Material: aluminium

Compatible ASSA ABLOY products

- Krallfix® 3 hinge safety mechanism 9M08

Scope of delivery

- 1 shim



9M09 Shim for Krallfix® 3

Article-No.	TEIL=
9M09 44949	UNTERLEGPL 2MM WS
9M09 44950	UNTERLEGPL 2MM BN
9M09 44951	UNTERLEGPL 5MM WS
9M09 44952	UNTERLEGPL 5MM BN

ASSA ABLOY
Sicherheitstechnik GmbH
Goerzallee 299
14167 Berlin
berlin@assaabloy.de
Tel. +4930 8106-0
Fax +4930 8106-26 00
www.assaabloy.de



ASSA ABLOY, the global leader
in door opening solutions