

9M16 Hinge safety mechanism with anchor 250

Additional door locks and security devices

Hinge safety mechanism

With one anchor - for wooden doors



Forcing of doors on the hinge side is one of the most frequent intrusion methods encountered. IKON hinge safety mechanisms provide special protection for the door frame. IKON provides a broad range of high-quality hinge safety mechanisms for every conventional door type.

Area of Application


IKON hinge safety mechanisms provide additional security in the critical hinge area. Here solid steel pins are used based on the same principle applied to safes, i.e heavy-duty dowels act as wall anchors.


ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions

9M16 Hinge safety mechanism with anchor 250

With one anchor - for wooden doors



Product description

- Makes forcing open the door on the hinge side more difficult
- With one tumbler
- Dimensions 90x22mm
- Material thickness 3mm
- With triple screwed joints
- Anchor for fixing in masonry
- Standard galvanised finish (OF=VERZINKT)
- Other surfaces with limba paint finish (OF=LIMBA)
- Material: steel

Compatible ASSA ABLOY products

- Rim lock without security link .131
- Rim lock with security link .132
- Rim lock without security link .133
- Rim lock with security link .136
- Drive unit for multiple locking system without lateral bolt .257
- Drive unit for multiple locking system with lateral bolt .258
- Drive unit for multiple locking system with lateral bolt and security link .259
- Drive unit for multiple locking system without lateral bolt .260
- Drive unit for multiple locking system with lateral bolt .261
- Drive unit for multiple locking system with lateral bolt and security link .262

Scope of delivery

- 1 pin component
- 1 hole component
- 1 masonry anchor
- fixing screws



9M16 Hinge safety mechanism with anchor 250

With one anchor - for wooden doors

Article-No.	OF=
9M16 44994	VERZINKT
9M16 44995	LIMBA

ASSA ABLOY
Sicherheitstechnik GmbH
Goerzallee 299
14167 Berlin
berlin@assaabloy.de
Tel. +4930 8106-0
Fax +4930 8106-26 00
www.assaabloy.de



ASSA ABLOY, the global leader
in door opening solutions