

9M19 Hinge safety mechanism without anchor 14B

Additional door locks and security devices

Hinge safety mechanism

With three tumblers - for wooden doors



Forcing of doors on the hinge side is one of the most frequent intrusion methods encountered. IKON hinge safety mechanisms provide special protection for the door frame. IKON provides a broad range of high-quality hinge safety mechanisms for every conventional door type.

Area of Application


IKON hinge safety mechanisms provide additional security in the critical door hinge area. Here solid steel pins are used based on the same principle applied to safes.


ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions

9M19 Hinge safety mechanism without anchor 14B

With three tumblers - for wooden doors



Product description

- Makes forcing open the door on the hinge side more difficult
- Dimensions 280x20mm
- Material thickness 3mm
- Material: steel
- Galvanised surface
- With three tumblers

Compatible ASSA ABLOY products

- Rim lock without security link .131
- Rim lock with security link .132
- Rim lock without security link .133
- Rim lock with security link .136
- Drive unit for multiple locking system without lateral bolt .257
- Drive unit for multiple locking system with lateral bolt .258
- Drive unit for multiple locking system with lateral bolt and security link .259
- Drive unit for multiple locking system without lateral bolt .260
- Drive unit for multiple locking system with lateral bolt .261
- Drive unit for multiple locking system with lateral bolt and security link .262

Scope of delivery

- 1 pin component
- 1 hole component
- fixing screws



9M19 Hinge safety mechanism without anchor 14B

With three tumblers - for wooden doors

Article-No.
9M19 44999

ABM=
280



ASSA ABLOY
Sicherheitstechnik GmbH
Goerzallee 299
14167 Berlin
berlin@assaabloy.de
Tel. +4930 8106-0
Fax +4930 8106-26 00
www.assaabloy.de

ASSA ABLOY, the global leader
in door opening solutions