

9M33 Loose rod for garage rod lock

Additional door locks and security devices

Cross bar and garage door locks

Standrad package 9M31 for garage rod lock



IKON provides a wide range of accessories and spare parts. Please note that the overall quality of IKON products can only be guaranteed if suitable original parts are used.

Area of Application

The IKON garage rod lock provides effective additional security for garages and hinged door leaves. The double lock is a horizontal execution. The locking system is a composite design consisting of steel profile rods with inserted solid steel bolts that lock in special lock cases. The aluminium lock case can be fitted with all conventionally-available profile cylinders. The lock mechanism can be easily converted from left to right. The sturdy IKON external armoured cylinder rose holds the complete locking cylinder and also protects it against the core extraction method of intrusion.


ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions

9M33 Loose rod for garage rod lock

Standard package 9M31 for garage rod lock

Product description

- Steel profile rod with solid steel inserted bolts for projection into lock cases
- Length 2000mm
- Standard finish white RAL 9016 coated (FB=WS)
- Other finishes: brown (FB=BN)
- Material: coated steel

Compatible ASSA ABLOY products

- Garage rod lock standard package 9M31

Scope of delivery

- 1 bar



9M33 Loose rod for garage rod lock

Standrad package 9M31 for garage rod
lock

Article-No.	FB=
9M33 45180	WS
9M33 45181	BN

ASSA ABLOY
Sicherheitstechnik GmbH
Goerzallee 299
14167 Berlin
berlin@assaabloy.de
Tel. +4930 8106-0
Fax +4930 8106-26 00
www.assaabloy.de



ASSA ABLOY, the global leader
in door opening solutions