

HD3, HD4, HDPR Housing Mounts

INDOOR/OUTDOOR FIXED MINI-DOME MOUNTS

The HD3, HD4, and HDPR housing mounts can be used to install Honeywell's 3" and 4" fixed mini-dome cameras to a variety of surfaces. They provide a wide range of mounting options – to walls, ceilings, and a variety of indoor and outdoor surfaces.

The simple, solid design of these mounts is an installer's first choice for ease of installation. Both the wall and pendant mounts provide easy cable routing with no exposed wiring, and the camera and lens can be installed, adjusted, and tested without repositioning the housing.

The HD4 and HDPR Series mounts feature die cast aluminum construction and cool gray powder coating. These mounts are designed for either outdoor or indoor applications. The HD3 indoor Series mounts have polycarbonate construction in either black or cool gray powder coating. All are designed to perfectly complement the low profile, fixed mini-dome cameras, making them the obvious choice for architecturally sensitive installations.

Market Opportunities

The HD3, HD4, and HDPR housing mounts provide performance and strength you can depend on. The attractive design, impact-resistant construction, and range of mounting options make these mounts the best solution for all your indoor and outdoor applications.

Features

Description	Camera Series		
	HD4	HDPR	HD3
• Low profile, contemporary design	X	X	X
• Economically priced	X	X	X
• Cable feed through for ease of installation and camera setup	X	X	X
• Die-cast aluminum construction	X	X	
• Polycarbonate construction			X
• Cool gray powder finish	X	X	
• Black or cool gray powder finish			X
• Indoor			X
• Indoor/outdoor	X	X	



HD3-MK (Shown), HD3-MKB



HD4DIP-WK



HD4DIP-PK



HD4-WK, HD4CH-WK



HD4-PK, HD4CH-PK



HDPR-WK




HDPR-PK

HD3, HD4, HDPR Housing Mounts


www.honeywellvideo.com

SPECIFICATIONS


HD3-MK, HD3-MKB Side View
(Use with HD3 Series Fixed Mini-Dome Camera)



HD4DIP-WK Side View
(Use with HD4DIP Series Fixed Mini-Dome Camera)



HD4DIP-PK Side View
(Use with HD4DIP Series Fixed Mini-Dome Camera)




HD3, HD4, HDPR Housing Mounts


www.honeywellvideo.com

SPECIFICATIONS


HD4-WK, HD4CH-WK Side View
(Use with HD4 Series Fixed Mini-Dome Camera)




HD4-PK, HD4CH-PK Side View
(Use with HD4 Series Fixed Mini-Dome Camera)



HDPR-WK Side View
(Use with HDPR Series Fixed Mini-Dome Camera)



HDPR-PK Side View
(Use with HDPR Series Fixed Mini-Dome Camera)



HD3, HD4, HDPR Housing Mounts

www.honeywellvideo.com

SPECIFICATIONS

Mechanical			
Model No.	Weight	Construction / Finish	Dimensions
HD3-MK, HD3-MKB	0.18 lb (0.08 kg)	Polycarbonate / Black or cool gray powder coating	See diagrams
HD4-WK HD4CH-WK	1.34 lb (0.61 kg)	Die-cast aluminum / Cool gray powder coating	See diagrams
HD4-PK HD4CH-PK	1.02 lb (0.46 kg)	Die-cast aluminum / Cool gray powder coating	See diagrams
HD4DIP-WK	2.42 lb (1.09 kg)	Die-cast aluminum / Cool gray powder coating	See diagrams
HD4DIP-PK	1.02 lb (0.46 kg)	Die-cast aluminum / Cool gray powder coating	See diagrams
HDPR-WK	2.5 lb (1.5 kg)	Die-cast aluminum / Cool gray powder coating	See diagrams
HDPR-PK	1.02 lb (0.46 kg)	Die-cast aluminum / Cool gray powder coating	See diagrams

Camera Housing Mount	Mount to Camera Models:
HD3-MK	HD3MDIP(X) HD3DIP(X) HD3CH(X) HD3C(X) HD3D(X)
HD3-MKB	HD3CHB(X) HD3CB(X) HD3DB(X)
HD4-WK HD4-PK	HD4DIR(X) HD4D3(X) HD4D9(X)
HD4CH-WK HD4CH-PK	HD4CH(X) HD4U(X)
HD4DIP-WK HD4DIP-PK	HD4DIP(X) HD4MDIP(X)
HDPR-WK HDPR-PK	HD51(X) HD70(X) HD73(X)

Ordering	
HD3-MK	Pendant/Wall Mount Kit, 6.06" long, 7.5 lb. (3.5 kg) Max Load, Off-White
HD3-MKB	Pendant/Wall Mount Kit, 6.06" long, 7.5 lb. (3.5 kg) Max Load, Black
HD4-WK	Wall Mount, 8.5" W x 3.54" W, (Pendant Cap), 15 lb. (7 kg) Max Load, Cool Gray
HD4CH-WK	Wall Mount, 8.5" W x 3.54" W, (Pendant Cap), 15 lb. (7 kg) Max Load, Cool Gray
HD4-PK	Pendant Mount, 6.14" W x 1.61" H, 1.5 lb. (7 kg) Max Load, Cool Gray
HD4CH-PK	Pendant Mount, 6.14" W x 1.61" H, 1.5 lb. (7 kg) Max Load, Cool Gray
HD4DIP-WK	Wall Mount, 4.72" W x 7.36" H, 15 lb. (7 kg) Max Load, Cool Gray
HD4DIP-PK	Pendant/Ceiling Mount, 6.14" Dia x 1.61" W, 15 lb. (7 kg) Max Load, Cool Gray
HDPR-WK	Wall Mount, 11.57" W x 2.88" W (Pendant Cap), 7.5 lb (3.5 kg) Max Load, Cool Gray
HDPR-PK	Pendant/Ceiling Mount, 5.69" Dia x 2.95" H, 15 lb (7 kg) Max Load, Cool Gray

NOTE: Honeywell reserves the right, without notification, to make changes in product design or specifications.

For more information:
www.honeywellvideo.com

Honeywell Security Group
Honeywell
2700 Blankenbaker Pkwy, Suite 150
Louisville, KY 40299
1.800.796.CCTV (2288)
www.honeywell.com

L/HD34PRD/D
April 2010
© 2010 Honeywell International Inc.