


# PC32 Half cylinder CH

22mm diameter

Mechanical locking cylinders

Half cylinder



## Area of Application


The half cylinder is frequently used in the Swiss round profile where it is intended that doors and gates should only be locked on one side (e.g. garage doors, cellar doors and tool sheds). However, it is also use in lifts, alarm systems or other auxiliary security systems (e.g. lockable window handles).

**ZIKON**  
ASSA ABLOY

ASSA ABLOY, the global leader  
in door opening solutions

# PC32 Half cylinder CH

22mm diameter



## Product description

- 5 pin tumblers
- Brass cylinder
- Standard finish, satin nickel-plated (OF=MV)
- Other surfaces: brass, mat brushed (OF=MG), polished brass (OF=MP)
- 8 x adjustment
- Basic cylinder length A (L=30) other installation lengths available
- Available for individual lockings and locking systems
- Drilling protection (AB=), additional lateral scanning, security card depending on profile (PR=)
- Key with square metal head
- Tapered cylinder core head with reinforced key guide
- Cam made of break and corrosion-resistant sinter metal
- Core pins made of special wear-resistant bronze

## Accessories/Individual parts

- Cylinder fixing screw 1149

## Compatible ASSA ABLOY products

- Maintenance spray 8511

## Scope of delivery

- 1 half cylinder
- 3 nickel silver keys
- 1 cylinder fixing screw M5 x 85mm



ASSA ABLOY, the global leader  
in door opening solutions

# PC32 Half cylinder CH

22mm diameter

Current profiles for individual locking

Profile (PR=)	Standard profile N1.
Profile version	70
With security card	No
<b>included</b>	
Drilling protection (AB=)	optional
Emergency device (GE=)	optional
Locking wave (SW=)	-
VdS class	-
RAL quality symbol	-
DIN class	-
<b>Modular system (GBK=)</b>	-
<b>Additional lateral pins</b>	-
<b>Factory-keyed profile/Client profile</b>	Factory-keyed profile
<b>Key head shape</b>	Square

ASSA ABLOY  
Sicherheitstechnik GmbH  
Goerzallee 299  
14167 Berlin  
berlin@assaabloy.de  
Tel. +4930 8106-0  
Fax +4930 8106-26 00  
www.assaabloy.de



ASSA ABLOY, the global leader  
in door opening solutions