

PC34,KNF=2 Knob cylinder CH

Mechanical locking cylinders

Knob cylinder

22mm diameter



Area of Application


Knob cylinders with a Swiss round profile are frequently used for conference rooms, hotels or homes and apartment doors. The inner rotary knob is used for simple locking of the door, therefore a key is not required for the inside. IKON supplies different knob designs, ranging from knurled to handle grip knobs. Due to their characteristics, knob cylinders are especially suitable and easily operated by the young and the elderly.

IKON
ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions

PC34,KNF=2 Knob cylinder CH

22mm diameter



Product description

- 5 pin tumblers
- Brass cylinder
- Standard knob colour brass, satin nickel-plated (KNF=2MV)
- Small tapered knob, 28 mm diameter
- Available for individual lockings and locking systems
- Drilling protection (AB=), additional lateral scanning, security card depending on profile (PR=)
- Key with square metal head
- Tapered cylinder core head with reinforced key guide

Accessories/Individual parts

- Cylinder fixing screw 1149

Compatible ASSA ABLOY products

- Maintenance spray 8511
- Garage rod lock standard package 9M31
- Protector bar DRS 8443
- Protector bar DRS 8444
- Protector bar DRS 8446
- Protector bar DRS 8447
- Protector bar DRS 8448
- Protector bar DRS 8449
- Escutcheon with rain protection cover 1279
- Escutcheon with rain protection cover and toggle lock 1288

Scope of delivery

- 1 knob cylinder
- 3 nickel silver keys
- 1 cylinder fixing screw M5 x 85mm
- 1 knob cylinder, 3 nickel silver keys, 1 cylinder fixing screw 80mm

ZIKON
ASSA ABLOY

PC34,KNF=2 Knob cylinder CH

22mm diameter

Current profiles for individual locking

Profile (PR=)	Standard profile N1.
Profile version	70
With security card	No
included	
Drilling protection (AB=)	optional
Emergency device (GE=)	optional
Locking wave (SW=)	-
VdS class	-
RAL quality symbol	-
DIN class	-
Modular system (GBK=)	-
Additional lateral pins	-
Factory-keyed profile/Client profile	Factory-keyed profile
Key head shape	Square



ASSA ABLOY
Sicherheitstechnik GmbH
Goerzallee 299
14167 Berlin
berlin@assaabloy.de
Tel. +4930 8106-0
Fax +4930 8106-26 00
www.assaabloy.de

ASSA ABLOY, the global leader
in door opening solutions