

T015 Overhead door closer T243 with sliding rail T450

Door closers

Door closer sets

Continuous closing force adjustment
range EN 1-4 - with closing delay



IKON door closers are distinguished by their uniform appearance and the identical dimensions of model series T240 and T250 a. Uniform fixing points ensure that a firm mounting is achieved outside the frame rebate (even without a mounting plate). The 14 mm height adjustment between the closer body and sliding rail is achieved by means of closer axis with variable height. The operating temperature range of the IKON door closer is yet another highlight: high-quality valves and hydraulic fluid achieve maximum locking stability. A high degree of user comfort, as all settings can be adjusted from the front.

Area of Application


This IKON door closer is suitable for internal and external DIN L/R single action doors that are subject to extreme stress. Standard installation is on the hinge side and overhead mounting on the side opposite the hinges. The door closer is suitable for leaf widths up to max. 1100 mm and operates within a temperature range of -25° to +45°.


ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions

T015 Overhead door closer T243 with sliding rail T450

Continuous closing force adjustment
range EN 1-4 - with closing delay



Product description

- Thermodynamic valves ensure consistent closing speed, latching force, backcheck and closing delay across entire temperature range from -25°C to +45°C
- 14mm continuous height adjustment between door closer and sliding rail
- Max. opening angle: Hinge side 180°, opposite side 120°, limitation necessary, e.g. door stop
- Closing delay (SVZ=DC) also adjustable from the front (not approved for use on fire doors)
- Effective ranges adjustable for backcheck and latching force
- Cast aluminium door closer body
- Modern design
- Universally suitable and removable cover made of high-quality plastic
- Standard finish silver, resembling to RAL 9006 (FB=SGR)
- Other colours: white, similar to RAL 9016 (FB=WS) and RAL colours of your choice

Accessories/Individual parts

- Lintel bracket T103
- Mounting plate T104
- Lintel bracket T105
- Mounting plate T106
- Cover T107
- Hold open device T152
- Backcheck T153

Scope of delivery

- 1 overhead door closer T243 with closing delay
- 1 sliding rail T450
- 1 drilling template
- fixing material

ZIKON
ASSA ABLOY

T015 Overhead door closer T243 with sliding rail T450

Continuous closing force adjustment
range EN 1-4 - with closing delay

Article-No.	FB=	SVZ=	Artikel-Nr. Tuerschliesser=	Artikel-Nr. Armsystem=
T015 43387	SGR	DC	T243 41231	T450 41251
T015 43388	WS	DC	T243 41230	T450 41250
T015 43389	BN	DC	T243 43319	T450 41673
T015 R0001	RAL XXXX	DC	T243 R0002	T450 R0001

ASSA ABLOY
Sicherheitstechnik GmbH
Goerzallee 299
14167 Berlin
berlin@assaabloy.de
Tel. +4930 8106-0
Fax +4930 8106-26 00
www.assaabloy.de



ASSA ABLOY, the global leader
in door opening solutions