

T025 Overhead door closer T241 with hold- open arm T401

Door closers

Door closer sets

Continuous closing force adjustment
range EN 1-5



IKON door closers are distinguished by their uniform appearance and the identical dimensions of model series T240 and T250 a. Uniform fixing points ensure that a firm mounting is achieved outside the fraem rebate (even without a mounting plate). The 14 mm height adjustment between the closer body and sliding rail is achieved by means of closer axis with variable height. The operating temperature range of the IKON door closer is yet another highlight: high-quality valves and hydraulic fluid achieve maximum locking stability. A high degree of user comfort, as all settings can be adjusted from the front.

Area of Application


This IKON door closer is suitable for internal and external DIN L/R rebated doors that are held open some of the time. It can be installed on the hinge side (standard installation) or on the door leaf on the side opposite the hinges. The door closer is suitable for leaf widths up to max. 1,250mm and operates within a temperature range of -25° to +45°.


ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions

T025 Overhead door closer T241 with hold- open arm T401

Continuous closing force adjustment
range EN 1-5



Product description

- Thermodynamic valves ensure consistent closing speed, latching force and backcheck across the entire temperature range from -25°C to +45°C
- 14mm continuous height adjustment between door closer and hold-open arm
- Mechanical hold-open function with on/off option integrated in arm system, hold-open bracket continuously adjustable up to max.150°
- Continuously-adjustable closing force
- Hydraulic latching force and closing speed continuously adjustable from front
- Adjustable latching force range
- Cast aluminium door closer body
- Modern design
- Universally suitable and removable cover made of high-quality plastic
- Standard finish silver, resembling to RAL 9006 (FB=SGR)
- Other colours: white, similar to RAL 9016 (FB=WS) and RAL colours of your choice

Accessories/Individual parts

- Lintel bracket T103
- Mounting plate T106
- Cover T107

Scope of delivery

- 1 overhead door closer T241
- 1 hold-open arm T401
- 1 drilling template
- fixing material

ZI IKON
ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions

T025 Overhead door closer T241 with hold- open arm T401

Continuous closing force adjustment
range EN 1-5

Article-No.	FB=	Artikel-Nr. Tuerschliesser=	Artikel-Nr. Armsystem=
T025 43427	SGR	T241 41223	T401 41247
T025 43428	WS	T241 41222	T401 41246
T025 43429	BN	T241 41665	T401 41672
T025 R0001	RAL XXXX	T241 R0001	T401 R0001



ASSA ABLOY
Sicherheitstechnik GmbH
Goerzallee 299
14167 Berlin
berlin@assaabloy.de
Tel. +4930 8106-0
Fax +4930 8106-26 00
www.assaabloy.de

ASSA ABLOY, the global leader
in door opening solutions