

# T028 Overhead door closer T804 with universal sliding rail

Door closers

Door closer sets



Closing force - range EN 4



IKON concealed door closers are distinguished by their sophisticated technology. These door closers provide a high degree of user comfort, as all settings on the door closer can be adjusted easily using valves. Concealed door closers are installed in rebated doors and can be used for DIN left and right applications.

#### Area of Application


This IKON door closer is suitable for DIN L/R single action doors. Normal concealed mounting is realised in the door leaf, with head mounting possible on the door frame. This door closer is suitable for door leaves with a width up to max. 1,100mm and invisible when the door is closed.

  
**ASSA ABLOY**

ASSA ABLOY, the global leader  
in door opening solutions

# T028 Overhead door closer T804 with universal sliding rail

Closing force - range EN 4



## Product description

- Valve configuration enables adjustment of closing speed and latching force when installed
- Universal sliding rail for wood and metal doors
- Maximum opening angle for normal installation in door leaf up to 130° and head installation in frame up to 140°, limitation necessary, e.g. door stop
- Cast steel door closer body
- Available in black (FB=SW)
- Tested in accordance with EN 1154

## Accessories/Individual parts

- Hold open device T154

## Scope of delivery

- 1 overhead door closer T804
- 1 sliding rail
- fixing material



# T028 Overhead door closer T804 with universal sliding rail

Closing force - range EN 4

**Article-No.**

**T028 49557**

---

ASSA ABLOY  
Sicherheitstechnik GmbH  
Goerzallee 299  
14167 Berlin  
berlin@assaabloy.de  
Tel. +4930 8106-0  
Fax +4930 8106-26 00  
www.assaabloy.de



ASSA ABLOY, the global leader  
in door opening solutions