


T720 Floor spring

Door closers

Floor spring

Range EN 2, 3, 4



IKON door closers meet every demand. IKON provides a system solution with a modular structure that makes planning, installation and handling easier than ever. The door closer range encompasses a variety of model versions, surface-mounted with housing, concealed or as a floor spring. Perfectly controlled closing and opening forces ensure an especially high degree of accessing comfort. The door closer range is a further example of the all-round convincing practicality of IKON locking solutions.

Area of Application


This IKON floor spring is suitable for external and internal DIN L/R single action doors and swing doors. It is suitable for doors with a leaf width of max. 1,100mm and a door leaf weight of max. 100 kg. Versions with a closing force of EN3 and EN4 an without a mechanical hold-open device are suitable for use on fire doors.


ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions

T720 Floor spring

Range EN 2, 3, 4



Product description

- Suitable for swing doors or single action doors (internal), for glass, metal and wooden doors
- Closing force strengths EN 2, EN 3, EN 4
- Adjustable closing speed and latching force
- Hydraulically-controlled closing sequence across entire closing range from approx. 175°
- Available in hold-open versions: without hold open device (FSTST=OHNE), hold-open 90° (FSTST=90), hold-open 105° (FSTST=105)
- Closing force strengths 3 and 4 without hold open device
- Cover plate available in stainless steel colour (FB=NIRO), polished brass (FB=MP)
- Adjusting range in cement case height 5mm, side 10mm, length 10mm
- Cement case, galvanised
- Variants with a closing force strength EN3 or EN4 without fixing tested in accordance with EN 1154

Accessories/Individual parts

- Axle for floor spring T760
- Support arm T761
- Spigot hinge T762

Scope of delivery

- 1 floor spring T720 with cover plate, axle standard 0 mm

ZIKON
ASSA ABLOY

T720 Floor spring

Range EN 2, 3, 4

Article-No.	FB=	FESTST=	SK=
T720 41278	NIRO	OHNE	EN2
T720 41279	MP	OHNE	EN2
T720 41280	NIRO	OHNE	EN3
T720 41281	MP	OHNE	EN3
T720 41282	NIRO	OHNE	EN4
T720 41283	MP	OHNE	EN4
T720 41286	NIRO	90	EN2
T720 41287	MP	90	EN2
T720 41288	NIRO	90	EN3
T720 41289	MP	90	EN3
T720 41290	NIRO	90	EN4
T720 41291	MP	90	EN4
T720 41294	NIRO	105	EN2
T720 41295	MP	105	EN2
T720 41296	NIRO	105	EN3
T720 41297	MP	105	EN3
T720 41298	NIRO	105	EN4
T720 41299	MP	105	EN4



ASSA ABLOY
Sicherheitstechnik GmbH
Goerzallee 299
14167 Berlin
berlin@assaabloy.de
Tel. +4930 8106-0
Fax +4930 8106-26 00
www.assaabloy.de

ASSA ABLOY, the global leader
in door opening solutions