

T750 Floor spring

Range EN 3-6

Door closers

Floor spring



IKON door closers meet every demand. IKON provides a system solution with a modular structure that makes planning, installation and handling easier than ever. The door closer range encompasses a variety of model versions, surface-mounted with housing, concealed or as a floor spring. Perfectly controlled closing and opening forces ensure an especially high degree of accessing comfort. The door closer range is a further example of the all-round convincing practicality of IKON locking solutions.

Area of Application


This IKON floor spring is suitable for external and internal DIN L/R single action doors and swing doors. It is suitable for doors with a leaf width of max. 1,400 mm and a door leaf weight of max. 300 kg. Door closer versions without a mechanical hold-open device are suitable for use on fire doors.


ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions

T750 Floor spring

Range EN 3-6



Product description

- Suitable for swing doors or single action doors (internal and external), for glass, metal and wooden doors
- With safety valve to protect against inappropriate overloading
- Variable closing force strengths EN 3-6
- Adjustable closing speed and latching force
- Hydraulically-controlled closing sequence across entire closing range from approx. 175°
- Available in hold-open versions: without hold open device (FSTST=OHNE), hold-open 90° (FSTST=90), hold-open 105° (FSTST=105)
- Cover plate available in stainless steel colour (FB=NIRO), polished brass (FB=MP)
- Adjusting range in cement case height 9mm, side 6mm, length 5mm
- Cement case, galvanised
- Variants without fixing tested in accordance with EN 1154

Accessories/Individual parts

- Axle for floor spring T760
- Support arm T761
- Spigot hinge T762

Scope of delivery

- 1 floor spring T750 with cover plate, axle standard 0 mm

ZIKON
ASSA ABLOY

T750 Floor spring

Range EN 3-6

Article-No.	FB=	FESTST=
T750 41300	NIRO	OHNE
T750 41301	MP	OHNE
T750 41304	NIRO	90
T750 41305	MP	90
T750 41308	NIRO	105
T750 41309	MP	105



ASSA ABLOY
Sicherheitstechnik GmbH
Goerzallee 299
14167 Berlin
berlin@assaabloy.de
Tel. +4930 8106-0
Fax +4930 8106-26 00
www.assaabloy.de

ASSA ABLOY, the global leader
in door opening solutions